

POSTUROKIT


IT'S JUST A QUESTION OF BALANCE!
IT'S JUST A QUESTION OF BALANCE!
IT'S JUST A QUESTION OF BALANCE!



POSTUROKIT, all the equipment that you need!

A new generation of postural diagnosis tools, easy to use and suitable to your daily practice:

- ✔ Postural imbalance classification.
- ✔ Sensory receptors tests.
- ✔ A full assessment in just a few minutes.
- ✔ Action plans and guidance for efficient therapeutic follow up.



BARRE'S VERTICAL COMPLETE SET

#REF EVBCO01

The indispensable clinical examination in posturology is the **Barré's Vertical Axis** Examination, with a standardized positioning protocol, that allows to determine the postural imbalance class and the incriminated sensor(s) diagnostic orientation.

The set consists of **a positioner, a laser** on a tripod and **a plumb line**.

POSITIONER

NEW GENERATION POSITIONER, PATENTED DESIGN

DESCRIPTION

The only device available today that incorporates a high-precision circular bubble level on its platform with four quickly adjustable feet!

The verification of the horizontality of the positioning surface and its possible adjustment, are the guarantee of a reliable and reproducible examination.

FEATURES

- ✓ **PRECISE ADJUSTMENT, ALLEN KEY INCLUDED**
- ✓ **SIMPLIFIED POSITIONING OF THE SUBJECT WITH A SUITABLE HEEL STOP**
- ✓ **MAXIMUM STABILITY WITH ANTI-SLIP PADS**
- ✓ **EASY CLEANING**
- ✓ **BACTERIOSTATIC**

TECHNICAL FEATURES

Dimensions	490 x 400 x 55 mm
Opening angle - FAP standard *	30°
Heel spacing	60 mm
Bubble level sensitivity	1°
Weight	6,8 kg
Materials	Trespa® TopLab®
Color	Pure White
Maximum load	135 kg

*FAP-French Association of Posturology

CERTIFICATES

- ✓ **10 YEAR WARRANTY**
- ✓ **MADE IN FRANCE**



LASER LEVEL



LASER LEVEL ON TRIPOD

DESCRIPTION

Barré's Vertical axis effective visualization from the back or in profile and the horizontality of the shoulder or pelvic girdles is essential in order to classify the postural imbalance. The laser system aligns perfectly with the positioner's centering marks and projects a vertical, sagittal, median and inter-malleolar plane onto the subject.

FEATURES

- ✓ Line precision in mm
- ✓ Automatic leveling, control by red / green indicator light
- ✓ Easy to use ,one single button
- ✓ Horizontal plane adjustment in height by the telescopic tripod

TECHNICAL FEATURES

Wave length	635 mm
Color	Red
Projection	2 cross lines
Range	15 meters
Supply	2 batteries AA (not included)
Weight	0.75 kg

CERTIFICATS

- ✓ Class 2 laser standard NF-EN 608256-1 / A2

MEDICAL PLUMB BOB

DESCRIPTION

A simple and practical accessory, easy to handle to visualize the vertical, anterior or posterior scapular plane and to measure cervical or lumbar arrows.

TECHNICAL FEATURES


Dimensions	35x10mm
weight	23g
Material	Brass

PODOSCOPE

#REF PODO01

The examination on an electroluminescent **podoscope** is an essential phase of the postural assessment. It reproduces in real time the plantar support surfaces distribution, which helps their observation in order to reveal potential footprints asymmetries. It determines whether the primary sensor, causing the postural imbalance, is of plantar or of a different origin.

PODOSCOPE



NEW GENERATION PODOSCOPE

DESCRIPTION

The modern concept and design of this model is differentiated by high-brightness LED lighting and a lowered ergonomic examination platform.

FEATURES

- ✓ MAXIMUM LEGIBILITY OF IMPRINTS
- ✓ EASY SUBJECT ACCESS, 17CM HEIGHT
- ✓ SOLID
- ✓ MINIMUM ENERGY CONSUMPTION
- ✓ BEST VALUE FOR MONEY ON THE MARKET

TECHNICAL FEATURES

Dimensions	485 x 400 x 170mm
Weight	5 kg
Material	Plexiglass, aluminium, PVC
Lighting	Green tangential LED
n	21W
Supply	200-240 V AC
Maximum load	130 kg

CERTIFICATES

- ✓ ENERGY RATING A +++
- ✓ MADE IN EUROPE

FOAM PLATFORM SET #REF EPM02


The examination on a **foam platform**, which shunts the podal afferents by blurring the proprioceptive information, directs the postural diagnosis to the cephalic sensors: mandibular, ocular and / or vestibular. It also accentuates pelvic pedal asymmetries.

It can be used for various applications:

- ✔ Anteflexion test / Standing flexion test , the so-called Bassani / Vorlauf test
- ✔ Test of alternating nuchal rotation
- ✔ Osteopathic tests (interspinous in extension, lateral extension at the level of the offending facet, ribs in rotation and inspiration)
- ✔ Visualization of the postural imbalance of the feet and knees
- ✔ Proprioceptive rehabilitation work

The set consists of a platform with an integrated foam and **a set of 2 spare foams**.

FOAM PLATFORM



FOAM PLATFORM & RECHARGES

DESCRIPTION

The integrated foam of high density, has been selected and validated by the most demanding practitioners after more than thirty years of research and clinical use.
The technical rectangle is adjusted to a protective frame which allows great versatility of use in complete safety!

FEATURES

- ✓ CARRYING OUT NUMEROUS TESTS
- ✓ LARGE POSITIONING SURFACE
- ✓ OPTIMAL FRAME STABILITY WITH ANTI-SLIP PADS
- ✓ LONG DURABILITY EVEN IN INTENSIVE USE

TECHNICAL CHARACTERISTICS

dimensions	526 x 436 x 55mm
Weight	4,2kg
Material	EVA50 foam, CDF
Color	Black and white
Maximum load (kg)	130 kg

CERTIFICATES

- ✓ MADE IN FRANCE
- ✓ 1 YEAR OF USE PER SIDE

MADDOX
TEST SET
#REF ETM03

The **Maddox** rod test and the cover test make it possible to orient the diagnosis towards the visual sensor's asynchrony of and also to measure the impact of this sensor's postural treatment.

The set includes a double rod, with an occluder end and a **Maddox** end, as well as a light point with a ruler.

MADDOX TEST SET



DOUBLE ROD : MADDOX + OCCLUDER

DESCRIPTION

The Maddox end has a specific red grooved lens that transforms a light point into a line and the other end an occluder of a suitable diameter.

FEATURES

DIMENSIONS: LENGTH 220 X DIAMETER 60 MM

LIGHT POINT WITH RULER

DESCRIPTION

This light source is used specifically with the Maddox rod
The light comes in the form of a round contemporary design box with a magnet, easily adjustable on a metal ruler.

FEATURES

- ✓ 2 IN 1 ROD
- ✓ PUNCTIFORM VALIDATED LIGHT
- ✓ SIMPLE TOUCH ON/OFF SWITCH
- ✓ QUICK HEIGHT ADJUSTMENT OF THE LIGHT
- ✓ EASY WALL MOUNTING

TECHNICAL FEATURES

Ruler dimensions	500 mm x 15mm
Weight	0.3 kg
Material	Pvc, steel
Lighting	LED
Supply	3 batteries AAA (not included)
Color	white
Ruler's wall mounting	Adhesive tape + holes



CUSTOMER SERVICE

+33 (0)6 40 62 99 17
FROM MONDAY TO FRIDAY
8H00 - 18H00



EMAIL

INFO@POSTUROKIT.COM



POSTUROKIT

WINDSOR BUREAUX
10 BD PRINCESSE CHARLOTTE
MONACO 98000



Modes de paiement 100% sécurisé par CB, Paypal, virement bancaire, chèque

